

Advanced CSS Training

Laying out and Styling Forms with CSS

Lesson 1, Activity 2: Laying out the Questions

Most forms can be thought of as a series of questions:

1. What is your first name?
2. What is your last name?
3. What company do you work for?

But instead of being laid out as questions, they are presented as answer spaces (form controls) preceded by labels:

1. First Name: _____
2. Last Name: _____
3. Company: _____

So, in creating an HTML page, it makes sense to use an ordered list. In fact, let's start with that:

Job Application

Job Information

1. Job of Interest (Sales Manager, Account Executive, Receptionist, Marketing Director)
2. Referral Source (Advertisement, Employee, Employment Agency, Website)
3. Availability (Full-Time, Part-Time, Temporary, Seasonal)
4. Location (New York, California, Texas, Pennsylvania, Kansas)

Personal Information

1. First Name
2. Last Name
3. Street Address
4. City
5. State
6. Postal code
7. Telephone
8. Email address
9. Citizenship
10. Have you ever been convicted of a felony?
11. Are you willing to relocate?

Employment History

Provide your employment history starting with the company for which you have most recently worked.

1. Company 1
 1. Company Name
 2. Job Title
 3. Start Date
 4. End Date
 5. Responsibilities
 6. Reason for leaving
2. Company 2
 1. Company Name
 2. Job Title
 3. Start Date
 4. End Date
 5. Responsibilities
 6. Reason for leaving
3. Company 3
 1. Company Name
 2. Job Title
 3. Start Date
 4. End Date
 5. Responsibilities
 6. Reason for leaving

The code for this page is shown below:

Code Sample:

CssForms/Demos/JobApplication1.html

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset="UTF-8">
<title>Job Application</title>
</head>
<body>
<h1>Job Application</h1>
<h2>Job Information</h2>
<ol>
<li>Job of Interest (Sales Manager, Account Executive, Receptionist, Marketing Director)</li>
<li>Referral Source (Advertisement, Employee, Employment Agency, Website)</li>
<li>Availability (Full-Time, Part-Time, Temporary, Seasonal)</li>
<li>Location (New York, California, Texas, Pennsylvania, Kansas)</li>
</ol>
<h2>Personal Information</h2>
<ol>
<li>First Name</li>
<li>Last Name</li>
<li>Street Address</li>
<li>City</li>
<li>State</li>
<li>Postal code</li>
<li>Telephone</li>
<li>Email address</li>
<li>Citizenship</li>
<li>Have you ever been convicted of a felony?</li>
<li>Are you willing to relocate?</li>
</ol>
<h2>Employment History</h2>
<p>Provide your employment history starting with the company for which you have most recently worked.</p>
<ol>
<li>Company 1
<ol>
<li>Company Name</li>
<li>Job Title</li>
<li>Start Date</li>
<li>End Date</li>
<li>Responsibilities</li>
<li>Reason for leaving</li>
</ol>
</li>
<li>Company 2
<ol>
<li>Company Name</li>
<li>Job Title</li>
<li>Start Date</li>
<li>End Date</li>
<li>Responsibilities</li>
<li>Reason for leaving</li>
</ol>
</li>
<li>Company 3
<ol>
<li>Company Name</li>
<li>Job Title</li>
<li>Start Date</li>
<li>End Date</li>
<li>Responsibilities</li>
<li>Reason for leaving</li>
</ol>
</li>
</ol>
</body>
```

```
</html>
```

As you can see, there is no CSS in this file. It's a simple HTML file split into separate sections of pseudo-questions, which are presented in ordered lists.

The pseudo-questions will become our form labels.

Lesson 1, Activity 3: Creating the Form

Now we'll begin creating the form. We won't add the form controls just yet. First, we want to capture the structure within a form:

Code Sample:

CssForms/Demos/JobApplication2.html

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset="UTF-8">
<title>Job Application</title>
<style type="text/css">
  /* added to call out fieldsets */
  fieldset {
    border-color:#000;
  }
  fieldset fieldset {
    border-style:dashed;
  }
</style>
</head>
<body>
<h1>Job Application</h1>
<form method="post" action="apply.php">
  <fieldset>
    <legend>Job Information</legend>
    <ol>
      <li>Job of Interest (Sales Manager, Account Executive, Receptionist, Marketing Director)</li>
      <li>Referral Source (Advertisement, Employee, Employment Agency, Website)</li>
      <li>Availability (Full-Time, Part-Time, Temporary, Seasonal)</li>
      <li>Location (New York, California, Texas, Pennsylvania, Kansas)</li>
    </ol>
  </fieldset>
  <fieldset>
    <legend>Personal Information</legend>
    <ol>
      <li>First Name</li>
      <li>Last Name</li>
      <li>Street Address</li>
      <li>City</li>
      <li>State</li>
      <li>Postal code</li>
      <li>Telephone</li>
      <li>Email address</li>
      <li>Citizenship</li>
      <li>Have you ever been convicted of a felony?</li>
      <li>Are you willing to relocate?</li>
    </ol>
  </fieldset>
  <fieldset>
    <legend>Employment History</legend>
    <p>Provide your employment history starting with the company for which you have most recently worked.</p>
    <fieldset>
      <legend>Company 1</legend>
      <ol>
        <li>Company</li>
        <li>Title</li>
        <li>Start Date</li>
        <li>End Date</li>
        <li>Responsibilities</li>
        <li>Reason for leaving</li>
      </ol>
    </fieldset>
    <fieldset>
      <legend>Company 2</legend>
      <ol>
        <li>Company</li>
        <li>Title</li>
```

```

    <li>Start Date</li>
    <li>End Date</li>
    <li>Responsibilities</li>
    <li>Reason for leaving</li>
  </ol>
</fieldset>
<fieldset>
  <legend>Company 3</legend>
  <ol>
    <li>Company</li>
    <li>Title</li>
    <li>Start Date</li>
    <li>End Date</li>
    <li>Responsibilities</li>
    <li>Reason for leaving</li>
  </ol>
</fieldset>
</fieldset>
<fieldset>
  <input type="reset" id="Reset" name="Reset" value="Start Over">
  <input type="submit" id="Submit" name="Submit" value="Submit">
</fieldset>
</form>
</body>
</html>

```

Things to notice:

- In [JobApplication1.html](#), we had used a nested ordered list to capture the parent-child relationship between "Employment History" and the individual companies for which the applicant has worked. Here in [JobApplication2.html](#), we've replaced that structure with nested fieldsets.
- We have also replaced all the h2 tags with legend tags.
- We have added buttons nested in a fieldset.

The result is shown below. Note that we have styled the fieldset borders some to call them out. We'll remove those styles later.

Job Application

Job Information

1. Job of Interest (Sales Manager, Account Executive, Receptionist, Marketing Director)
2. Referral Source (Advertisement, Employee, Employment Agency, Website)
3. Availability (Full-Time, Part-Time, Temporary, Seasonal)
4. Location (New York, California, Texas, Pennsylvania, Kansas)

Personal Information

1. First Name
2. Last Name
3. Street Address
4. City
5. State
6. Postal code
7. Telephone
8. Email address
9. Citizenship
10. Have you ever been convicted of a felony?
11. Are you willing to relocate?

Employment History

Provide your employment history starting with the company for which you have most recently worked.

Company 1

1. Company
2. Title
3. Start Date
4. End Date
5. Responsibilities
6. Reason for leaving

Company 2

1. Company
2. Title
3. Start Date
4. End Date
5. Responsibilities
6. Reason for leaving

Company 3

Done

The `fieldset` tag is used to group like form fields. The `legend` tag is not required in a `fieldset`, but it is usually a good idea to include it. It provides a title or heading for the grouped elements.

Now let's add the form fields:

Code Sample:

[CssForms/Demos/JobApplication3.html](#)

```
<!DOCTYPE HTML>
<html>
<head>
```

```

<meta charset="UTF-8">
<title>Job Application</title>
<body>
<h1>Job Application</h1>
<form method="post" action="apply.php">
  <fieldset id="jobInfo">
    <legend>Job Information</legend>
    <ol>
      <li>
<label for="JobOfInterest">Job of Interest:</label>
        <select name="JobOfInterest" id="JobOfInterest">
          <option>Account Executive</option>
          <option>Marketing Director</option>
          <option>Receptionist</option>
          <option>Sales Manager</option>
        </select>
      </li>
      <li>
<label for="ReferralSource">Referral Source</label>
        <select name="ReferralSource" id="ReferralSource">
          <option>Advertisement</option>
          <option>Employee</option>
          <option>Employment Agency</option>
          <option>Website</option>
        </select>
      </li>
      <li>
<label for="Availability">Availability</label>
        <select name="Availability" id="Availability">
          <option>Full-Time</option>
          <option>Part-Time</option>
          <option>Seasonal</option>
          <option>Temporary</option>
        </select>
      </li>
      <li>
<label for="Location">Location</label>
        <select name="Location" id="Location">
          <option>California</option>
          <option>Kansas</option>
          <option>New York</option>
          <option>Texas</option>
          <option>Pennsylvania</option>
        </select>
      </li>
    </ol>
  </fieldset>
  <fieldset id="personalInfo">
    <legend>Personal Information</legend>
    <ol>
      <li>
<label for="FirstName">First Name:</label>
        <input type="text" size="20" name="FirstName" id="FirstName" title="First Name">
      </li>
      <li>
<label for="LastName">Last Name:</label>
        <input type="text" size="20" name="LastName" id="LastName" title="Last Name">
      </li>
      <li>
<label for="Address">Street Address:</label>
        <input type="text" size="20" name="Address" id="Address" title="Address">
      </li>
      <li>
<label for="City">City:</label>
        <input type="text" size="20" name="City" id="City" title="City">
      </li>
      <li>
<label for="State">State:</label>
        <input type="text" size="20" name="State" id="State" title="State">
      </li>
      <li>
<label for="PostalCode">Postal Code:</label>

```



```

        <input type="text" size="20" name="PostalCode" id="PostalCode" title="Postal Code">
    </li>
    <li>
<label for="Telephone">Telephone:</label>
        <input type="text" size="20" name="Telephone" id="Telephone" title="Telephone">
    </li>
    <li>
<label for="Email">Email Address:</label>
        <input type="text" size="20" name="Email" id="Email" title="Email Address">
    </li>
    <li>
<label for="Citizenship">Citizenship:</label>
        <input type="text" size="20" name="Citizenship" id="Citizenship" title="Citizenship">
    </li>
    <li>
<span class="label">Have you ever been convicted of a felony?:</span>
        <label><input type="radio" name="Felony" id="FelonyYes" title="Felony Yes"> Yes</label>
        <label><input type="radio" name="Felony" id="FelonyNo" title="Felony No"> No</label>
    </li>
    <li>
<span class="label">Are you willing to relocate?:</span>
        <label><input type="radio" name="Relocate" id="RelocateYes" title="Relocate Yes"> Yes</label>
        <label><input type="radio" name="Relocate" id="RelocateNo" title="Relocate No"> No</label>
    </li>
</ol>
</fieldset>
<fieldset id="employmentHistory">
    <legend>Employment History</legend>
    <p>Provide your employment history starting with the company for which you have most recently worked.</p>
    <fieldset>
        <legend>Company 1</legend>
        <ol>
            <li>
<label for="CompanyName1">Company Name:</label>
                <input type="text" size="20" name="CompanyName1" id="CompanyName1" title="Company Name">
            </li>
            <li>
<label for="JobTitle1">Job Title:</label>
                <input type="text" size="20" name="JobTitle1" id="JobTitle1" title="Job Title">
            </li>
            <li>
<label for="StartDate1">Start Date:</label>
                <input type="text" size="20" name="StartDate1" id="StartDate1" title="Start Date">
            </li>
            <li>
<label for="EndDate1">End Date:</label>
                <input type="text" size="20" name="EndDate1" id="EndDate1" title="End Date">
            </li>
            <li>
<label for="Responsibilities1">Responsibilities:</label>
                <textarea name="Responsibilities1" id="Responsibilities1" title="Responsibilities" cols="50" rows="3"></textarea>
            </li>
            <li>
<label for="ReasonForLeaving1">Reason for Leaving:</label>
                <textarea name="ReasonForLeaving1" id="ReasonForLeaving1" title="Reason for Leaving" cols="50" rows="3"></textarea>
            </li>
        </ol>
    </fieldset>
---- C O D E    O M I T T E D ----

</fieldset>
<fieldset id="buttons">
    <input type="reset" id="Reset" name="Reset" value="Start Over">
    <input type="submit" id="Submit" name="Submit" value="Submit">
</fieldset>
</form>
</body>
</html>

```

Adding the Form Fields

The page still uses all the default HTML styles. The result is shown below:

Our form is now well structured so that a person viewing it in a browser or using an accessibility device such as a screen reader would be able to follow it easily. A few things to note:

- We have placed most of the "questions" in `label` tags and used the `for` attribute to tie them to their form fields.
- We have wrapped the radio buttons with their labels in `label` tags and put the associated questions in `span` tags, which we have given a "label" class so that we can style them later.
- We have used the `title` attribute on all the form fields and assigned it a descriptive value. This is for accessibility purposes. Though most accessibility devices will use the `label` tag to provide information about the form control, some rely on the control's `title` attribute.
- We have added `id` attributes to the main `fieldset`s as hooks for our style sheet.

It's almost time to get stylish. We won't need any new CSS properties to style our form. We'll just see how we can use styles we're already familiar with. However, before we do that, we need to go on a little tangent.

Lesson 1, Activity 5: Reset Revisited

In the Page Layout lesson, we introduced the following simple CSS reset:

```
* {  
  margin:0;  
  padding:0;  
  border:0;  
}
```

As we noted there, this effectively does away with all margin, padding and borders for every element. This includes form controls. However, resetting form control styles has some undesirable effects. Eric Meyer covers this in detail in his article at <http://meyerweb.com/eric/thoughts/2007/05/15/formal-weirdness>. The big takeaway is that different browsers have different default displays for form controls and that it is not possible to reconstruct those displays using CSS, so it's generally better to leave form controls alone.

Meyer provides a more detailed reset at <http://meyerweb.com/eric/tools/css/reset/index.html> that avoids resetting form controls. You'll find a copy of this file ([reset-meyer.css](#) in your [CssForms](#) directory. And we will use it in our code here.

Styling the Form

We've just said that we don't want to use CSS to style any of the form controls. But we do want to use CSS to layout the form and we can apply some formatting styles to the `form`, `fieldset` and `legend` elements.

First let's see what happens when we apply Eric Meyer's reset to [CssForms/Demos/JobApplication4.html](#):

Job Application - Mozilla Firefox

File Edit View History Bookmarks Tools Help

Job Application

Job Information

Job of Interest: Please select... ▾

Referral Source: Please select... ▾

Availability: Please select... ▾

Location: Please select... ▾

Personal Information

First Name:

Last Name:

Street Address:

City:

State:

Postal Code:

Telephone:

Email Address:

Citizenship:

Have you ever been convicted of a felony?: ☐ Yes ☐ No

Are you willing to relocate?: ☐ Yes ☐ No

Employment History

Provide your employment history starting with the company for which you have most recently worked.

Company 1

Company Name:

Job Title:

Start Date:

End Date:

Responsibilities:

Reason for Leaving:

Company 2

Company Name:

Job Title:

Start Date:

End Date:

Responsibilities:

Reason for Leaving:

Company 3

Company Name:

Job Title:

Start Date:

End Date:

Responsibilities:

Reason for Leaving:

Done

Not pretty, but it gives us a fresh start. Let's see what we need to do to the style sheet to make [CssForms/Demos/JobApplication5.html](#) look like this:

Job Application

J O B I N F O R M A T I O N

Job of Interest:

Referral Source:

Availability:

Location:

P E R S O N A L I N F O R M A T I O N

First Name:

Last Name:

Street Address:

City:

State:

Postal Code:

Telephone:

Email Address:

Citizenship:

Have you ever been convicted of a felony?:
☐ Yes
☐ No

Are you willing to relocate?:
☐ Yes
☐ No

E M P L O Y M E N T H I S T O R Y

Provide your employment history starting with the company for which you have most recently worked.

C O M P A N Y 1

Company Name:

Job Title:

Start Date:

End Date:

Responsibilities:

Reason for Leaving:

Done

Let's start by looking at the complete style sheet and then we'll dissect it:

Code Sample:

CssForms/Demos/style.css

```
body {
  background-color:#ccc;
}

h1 {
  width:555px;
  margin:5px auto;
  padding-bottom:10px;
  border-bottom:1px solid #930;
  font-size:xx-large;
  color:#930;
}
```

```

}

/*Begin Form Styles*/
form {
  width:555px;
  margin:auto;
  padding-bottom:20px;
  color:#930;
}

fieldset {
  margin-bottom:10px;
  border-bottom:1px solid #930;
  background-color:#eec;
}

legend {
  padding-left:10px;
  font-size:1.2em;
  font-weight:bold;
  letter-spacing:.5em;
  font-family:"Trebuchet MS", Arial, Helvetica, sans-serif;
  font-variant:small-caps;
  color:#460;
}

fieldset fieldset {
  margin-top:10px;
  border-bottom:none;
}

fieldset fieldset legend {
  font-size:1em;
  font-weight:bold;
  letter-spacing:.4em;
  font-family:"Trebuchet MS", Arial, Helvetica, sans-serif;
  color:#333;
}

form ol {
  padding:20px;
}

fieldset fieldset ol {
  margin-top:-10px;
}

form p {
  margin:10px;
  font-size:.8em;
}

form li {
  list-style-type:none;
  border-bottom:1px dotted #000;
  padding-bottom:2px;
  margin-bottom:2px;
}

label {
  width:200px;
  float:left;
  font-weight:bold;
}

span.label {
  font-weight:bold;
}

li.radioContainer label {
  display:block;
  float:none;

```

```

font-weight:normal;
}

select, input[type="text"] {
width:200px;
}

textarea {
width:400px;
height:50px;
}

#buttons {
text-align:center;
}

#buttons input {
height:50px;
width:150px;
font-size:1.5em;
color:#930;
font-variant:small-caps;
margin:10px;
}
/*End Form Styles*/

```

Most of the CSS should be pretty easy to follow. Here are some things to notice:

1. The rule below takes away the bottom border from fieldsets that are nested within other fieldsets:

```

fieldset fieldset {
margin-top:10px;
border-bottom:none;
}

```

2. The selector `fieldset fieldset legend` only applies to legends inside of fieldsets that are nested within other fieldsets. This is to make the "headings" of form subsections appear differently from the headings of the main sections.
3. The rule below removes the numbers from the list items, adds a dotted line beneath each "question", and creates some vertical space between the "questions."

```

form li {
list-style-type:none;
border-bottom:1px dotted #000;
padding-bottom:2px;
margin-bottom:2px;
}

```

4. The `float:left;` declaration changes the element from in-line to block, which will bring its associated form control up to the right of the label.

```

label {
width:200px;
float:left;
font-weight:bold;
}

```

5. This rule turns off the `float` property for labels that appear in list items with the "radioContainer" class. Since the label is not floated anymore it will revert back to displaying in-line, to keep it displayed on a separate line we add in the `display:block;` setting:

```

li.radioContainer label {
display:block;
float:none;
font-weight:normal;
}

```

Remember, these are the `label` elements that surround the radio button and its presentation value, like this:

```
<li class="radioContainer">
  <span class="label">Have you ever been convicted of a felony?</span>
  <label><input type="radio" name="Felony" id="FelonyNo" title="Felony Yes" /> Yes</label>
  <label><input type="radio" name="Felony" id="FelonyYes" title="Felony No" /> No</label>
</li>
```

6. This rule sets a width for the `select` and `text` input elements:

```
select, input[type="text"] {
  width:200px;
}
```

7. This rule sets a height and width for the `textareas`, overriding the `cols` and `rows` values:

```
textarea {
  width:400px;
  height:50px;
}
```

8. And these last two rules style the buttons:

```
#buttons {
  text-align:center;
}

#buttons input {
  height:50px;
  width:150px;
  font-size:1.5em;
  color:#930;
  font-variant:small-caps;
  margin:10px;
}
```

Note that we recommended earlier that you should leave form controls alone. Changing the height and width of form controls doesn't change any of their other default behaviors or styles, so this is not necessarily bad, but you should certainly test it carefully in all your target browsers and operating systems.

Although there are other ways to layout the HTML for forms, we like the use of an ordered list as it makes sense semantically and doesn't require extraneous tags used for formatting purposes only.

Lesson 1, Activity 7: Expanding the Form

Duration: 10 to 25 minutes.

In this exercise, you will add an "Education" section to the form.

1. Open [CssForms/Exercises/JobApplication.html](#) in your editor.
2. Expand the form to cover the following:
 1. Education
 1. Degree 1
 1. Institution
 2. Type of Degree
 3. Year Completed
 4. Comments
 2. Degree 2
 1. Institution
 2. Type of Degree
 3. Year Completed
 4. Comments

Challenge

Try to layout the form in two columns like this:

Job Application

J O B I N F O R M A T I O N

Job of Interest:

Referral Source:

Availability:

Location:

P E R S O N A L I N F O R M A T I O N

First Name:

Last Name:

Street Address:

City:

State:

Postal Code:

Telephone:

Email Address:

Citizenship:

Have you ever been convicted of a felony?:
☐ Yes
☐ No

Are you willing to relocate?:
☐ Yes
☐ No

E M P L O Y M E N T H I S T O R Y

Provide your employment history starting with the company for which you have most recently worked.

C O M P A N Y 1

Company Name:

Job Title:

Start Date:

End Date:

Responsibilities:

Reason for Leaving:

C O M P A N Y 2

Company Name:

Job Title:

Start Date:

End Date:

Responsibilities:

Reason for Leaving:

C O M P A N Y 3

Company Name:

Job Title:

Start Date:

End Date:

Responsibilities:

Reason for Leaving:

E D U C A T I O N

D E G R E E 1

Institution:

Type of Degree:

Year Completed:

Comments:

D E G R E E 2

Institution:

Type of Degree:

Year Completed:

Comments:

START OVER

SUBMIT

Note that there are several ways to do this; however, it is very difficult to get this layout to look the same across browsers without using some hacks. See if you can do it in one browser. Our solution uses relative positioning and the screenshot is from Firefox. It would look almost the same in other modern browsers.

A solution that corrects the differences in earlier versions of Internet Explorer is shown in [CssForms/Solutions/JobApplication-challenge-IE.html](#), but this contains content not yet covered in this course.

Solution:

[CssForms/Solutions/JobApplication.html](#)

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset="UTF-8">
<link type="text/css" rel="stylesheet" href="../reset-meyer.css">
<link type="text/css" rel="stylesheet" href="style.css">
<title>Job Application</title>
</head>
```

```

<body>
<h1>Job Application</h1>
<form method="post" action="apply.php">
---- C O D E   O M I T T E D ----
<fieldset id="education">
  <legend>Education</legend>
  <fieldset>
    <legend>Degree 1</legend>
    <ol>
      <li>
        <label for="Institution1">Institution:</label>
        <input type="text" size="20" name="Institution1" id="Institution1" title="Institution">
      </li>
      <li>
        <label for="TypeOfDegree1">Type of Degree:</label>
        <select name="TypeOfDegree1" id="TypeOfDegree1" title="Type of Degree">
          <option>Please select...</option>
          <option>High School</option>
          <option>Bachelors</option>
          <option>Masters</option>
          <option>PhD</option>
        </select>
      </li>
      <li>
        <label for="YearCompleted1">Year Completed:</label>
        <input type="text" size="20" name="YearCompleted1" id="YearCompleted1" title="Year Completed">
      </li>
      <li>
        <label for="Comments1">Comments:</label>
        <textarea name="Comments1" id="Comments1" title="Comments" cols="50" rows="3"></textarea>
      </li>
    </ol>
  </fieldset>
  <fieldset>
    <legend>Degree 2</legend>
    <ol>
      <li>
        <label for="Institution2">Institution:</label>
        <input type="text" size="20" name="Institution2" id="Institution2" title="Institution">
      </li>
      <li>
        <label for="TypeOfDegree2">Type of Degree:</label>
        <select name="TypeOfDegree2" id="TypeOfDegree2" title="Type of Degree">
          <option>Please select...</option>
          <option>High School</option>
          <option>Bachelors</option>
          <option>Masters</option>
          <option>PhD</option>
        </select>
      </li>
      <li>
        <label for="YearCompleted2">Year Completed:</label>
        <input type="text" size="20" name="YearCompleted2" id="YearCompleted2" title="Year Completed">
      </li>
      <li>
        <label for="Comments2">Comments:</label>
        <textarea name="Comments2" id="Comments2" title="Comments" cols="50" rows="3"></textarea>
      </li>
    </ol>
  </fieldset>
</fieldset>
<fieldset id="buttons">
  <input type="reset" id="Reset" name="Reset" value="Start Over">
  <input type="submit" id="Submit" name="Submit" value="Submit">
</fieldset>
</form>
</body>
</html>

```

Challenge Solution:

CssForms/Solutions/style-challenge.css

```

body {
  background-color:#ccc;
}

h1 {
  width:1000px;
  margin:5px auto;
  padding-bottom:10px;
  border-bottom:1px solid #930;
  font-size:xx-large;
  color:#930;
}

/*Begin Form Styles*/
form {
  width:1000px;
  margin:auto;
  padding-bottom:20px;
  color:#930;
}

fieldset {
  width:480px;
  margin-bottom:10px;
  border-bottom:1px solid #930;
  background-color:#eec;
}

---- C O D E   O M I T T E D ----
#buttons input {
  height:100px;
  width:350px;
  font-size:1.5em;
  background-color:#cc9;
  color:#930;
  border:1px solid;
  font-variant:small-caps;
  margin:10px;
  cursor:pointer;
}

#buttons input:hover {
  background-color:#dda;
}

#jobInfo {
  height: 164px;
}

#personalInfo {
  display:block;
  position:relative;
  left:520px;
  top:-175px;
  height: 419px;
}

#employmentHistory {
  display:block;
  position:relative;
  top:-430px;
  height: 1021px;
}

#education {
  display:block;
  position:relative;
  top:-1205px;
  left:520px;
  height: 458px;
}

```

```
}  
  
#buttons {  
  display:block;  
  padding:27px 0px;  
  position:relative;  
  top:-1205px;  
  left:520px;  
  text-align:center;  
}  
/*End Form Styles*/
```

Open <C:\cssForms\Solutions\JobApplication-challenge.html> in your browser to see the result.